

Reliability Laboratory

TEST REPORT

Report No.: HC90196B/2020 Page: 1 of 4 Date: October 19, 2020

IO-POWER TECHNOLOGY CO., LTD. 1F., NO. 100, JINZHU RD., NORTH DIST., HSINCHU CITY, TAIWAN

The following merchandise	was submitted and identified by the vendor as:		
Product Description:	IP69 Waterproof and Corrosion-resistant and Wind-resistant and		
	Anti-interference Aluminum Alloy Die-casting case		
	IOP-WMDC-1P1L6N4N-T (Toppan Cover) EV1		
Style/ Item No.:	IOP-WMDC-1P1L6N4N-T / No.1		
Manufacturer/Vendor:	IO-Power Technology Co., Ltd.		
Country of Origin:	Taiwan		
Quantity:	Total 1 piece		
Testing Period:	Sep. 25, 2020		

We have tested the submitted sample(s) as requested and the following results were obtained: Test Required:

Test for Degrees of Protection Provided by Enclosures (IEC 60529 Edition 2.2: 2013)

IP Code	IPX9
First characteristic numeral	Omitted
Second characteristic numeral	Degrees of protection against ingress of water

Test Results:

Conclusion Submittals sample(s) comply with the requirement and acceptance conditions of IEC 60529 Edition 2.2: 2013 Degrees of Protection Provided by Enclosures--IPX9 The detailed description of test result, please see attached sheet(s).

Signed for and on behalf of SGS TAIWAN Ltd.

Ivan Wand

Ivan Wang Team Leader

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com.tw/Terms-and-Conditions</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/en/terms-and-conditions</u> and, for electronic format issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest externt / May 21 Mu Chavan Bend Neur Teinei (but value).

GS Taiwan I td 台灣檢驗科技股份有限公司。

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路31號 t (886-2) 2299-3279 f (886-2) 2299-9558



Reliability Laboratory

TEST REPORT

Report No.: HC90196B/2020 Page: 2 4 of

Test for Degrees of Protection Provided by Enclosures:

Test Equipment:			
Name	Brand	Model	Serial No.
Waterproof Test Chamber	T-MACHINE	TMJ-9710A	T-10-120304
Lab Environmental Conditio	<u>ns:</u>		
Ambient temperature:	<u>(15 ~ 35)°C</u>		
Ambient humidity:	<u>(25 ~ 75) % RH</u>		
Test Location:	No.33, Wu Chyuan Road, New Taipei Industrial Park, WuKu District.		
	New Taipei City, Taiwan		
Test Method/ Specification:			
Test method:	IEC 60529 Edition 2.2: 2013-	-IPX9	
Sample condition:	Non-Operating		
Water temperature:	<u>(80 ± 5) °C</u>		
Water pressure:	<u>(8 ~ 10) MPa</u>		
Table rotation speed:	(5 ± 1) rpm		
Water flow rate:	<u>(14 ~ 16) L/min</u>		
Reference point:	<u>0°, 30°, 60°, 90°</u>		
Test duration:	30 seconds/ position		

Examine the protection against ingress water of specimen(s) after this test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/ent/erms-and-conditions/terms-and-conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/ 新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558



Reliability Laboratory

TEST REPORT

Report No.: HC90196B/2020 Page: 3 of 4

Specimen:

Style/ Item No.: Quantity:

IOP-WMDC-1P1L6N4N-T / No.1

Total 1 piece

Test Result:

Degree of protection against ingress of water (IPX9)

Test Result				
Check Item		Style/ Item No.		
		IOP-WMDC-1P1L6N4N-T / No.1		
1	Does any water enter the enclosure?	No		
2	(followed check item 1) If any water has entered, does the water accumulate near the cable end or live parts?	N/A		
2.1	(followed check item 2) Does the water be sufficient to interfere with the correct operation of the equipment or impair safety?	N/A		
2.2	(followed check item 2.1) Does the water deposit on insulation parts where it could lead to tracking along the creepage distances?	N/A		
2.3	(followed check item 2.2) Does the water reach live parts or windings not designed to operate when wet?	N/A		
Note 1	l : N/A means "Not Applicable".			

Note 2: The check items in this test report for inspecting the degree of protection provided by enclosures are reference to the requirements specified in IEC 60529 Edition 2.2: 2013 and in accordance with the acceptance conditions specified by client.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/ent/erms-and-conditions/terms-and-conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558



TEST REPORT

Report No.: HC90196B/2020 Page: 4 4 of

Test Photos:



The End of Test Report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/ent/erms-and-conditions/terms-and-conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558